

# MYSTERY

## Technical Rider 2023

Page 1 of 5

### MYSTERY TECHNICAL RIDER 2023

If you have any questions regarding production, please contact Michel St-Pere @ 514-297- 2246 or [promotion@unicorndigital.net](mailto:promotion@unicorndigital.net)

Artists' crew must be allowed to operate any and all equipment provided by the Purchaser or the Purchaser's sub contractors. No other acts will be permitted to use the Artists' equipment (ie: drums, Amps) or the services of the Artists' crew without prior consent of the Artists' Tour or Production Manager. The equipment and special effects of any other acts on the same stage will be operated under the supervision or control of the Artists' Tour Manager and he/she shall have the final decision in the placement of any and all equipment on or off stage.

#### STAGE PLOT/ INPUT LIST

See Attached

#### LABOUR

When purchaser is supplying production, 2 sober, able bodied stage hands will be required for Artist back line load in, set up, tear down and load out. **Technicians:** One FOH Audio Technician/ Operator, One Monitor Technician / Operator, One Lighting Technician/ Operator. Technicians may be required to operate for the show at no cost to the Artist. **STAGING**

A sturdy, safe and well constructed stage that is a minimum of 24" wide x 20" deep x 4" high will be required with a set of stairs on each side and a ramp in the centre of the up stage side for load in and out. Stage decking should be black and skirted at the front. **RISERS**

2 – 8'x8'x1' sturdy risers will be required. 1 is for Keys and 1 is for Bass Guitar. Drum riser should be carpeted.

1 – 8'x10'x1' sturdy risers will be required for Drum Kit. Drum riser should be carpeted.

#### POWER

When purchaser is supplying audio and lighting production, 6x15amp, grounded, AC receptacles, on stage, are required for powering Artist's back line equipment. **FOH AUDIO** PA: V-Dosc , D&B j-series, JBL Vertec, (all depending on venue/show size) (Please advise on room size) Speaker system must be properly powered and set up by a qualified system technician.

48 Input console WITH VCA's (Midas Heritage 3000/XL4; Yamaha PM-4000; Soundcraft Series 5) Digital consoles such as the Digidesign Profile, Venue and the Yamaha PM5D-RH are acceptable. 12 x Insertable Compressors (Drawmer DL241/BSS DPR 402 or DPR 404) 8 x Gates (Drawmer DS 201)

3 x High Quality Reverbs (TC Electronic M2000/M5000/M1) 2 x Delay (TC Electronic D-2 or 2290) 1 x CD 1 x CDR

#### MONITORS

40- Input Monitor Console: Midas Heritage 3000/XL250. Digital consoles such as the Digidesign Profile, Venue and the Yamaha PM5D-RH are acceptable. 6 x Bi Amplified Mixes on 10 Wedges; Clair 12AM, EAW SM15, EV XW12 or XW15 3 way stereo side fill on outdoor events 8 x 1/3 Octave Graphic Eq's Inserted on mixes : Klark DN360 1 stereo mix of In Ear Monitors for lead vocal. Sennheiser or Shure with spare ear buds 4 x Drawmer DL241 Comps 6 x Drawmer DS501 Gates 1 x Microphone, DI and Stand kit to artist's spec. (see plot) **LIGHTING** Lighting System will vary with each Venue, but should, in all cases, be capable of covering the entire stage, with a minimum of 3-colours washes, plus 6 source 4 Leko's and should also include 12-16 Mac 2- K or 700 profiles moving fixtures. The lighting console should be either a Full Grand MA or MA light console. A Good hazer should be provided with a fan. Please have lighting supplier contact Artist's Lighting Director to discuss lighting plot and placement.

# MYSTERY

## MYSTERY Backline Requirements 2022

### **Guitars**

4 x DeVille - or 4 High end guitar amp **with effect loop send and return**

### **Bass**

1 x 300 + watt bass amp such as: Ampeg SVT, Gallien Krueger, SWR with 2 x 4x10" cabinets

### **Drums**

Professional Maple Drum set:

10-12 -14-16-22

Snare:

Brass 14x6.5 or 14x8

Cymbals:

HHX

Crashes 17-18-19 + 18ozone

Ride 22

Hihat 14

Slashes 8-10

China 18 or 20

All hardware to attach everything

Dw9000 or tama speed cobra double basedrum pedals

1 motorcycle drum throne

**\*NOTE:** All hardware must be of double braced construction (Tama or DW) Kick, Tom and Floor Tom heads should all be pin stripe heads and be in good condition Both Snares should have Ambassador coated heads and be in good condition

### **MISCELLANEOUS**

4x Single Guitar Stands

All necessary cabling for Guitar, Bass and Keys

1 Roll of black Gaffers Tape


# MYSTERY

## INPUT LIST 2022

DRUMS				
INPUT	Description	Mic / DI	Stand	INSERT
1	Kick			
2	Snare Top			
3	Snare Bottom			
4	Hi-Hat			
5	Tom1			
6	Tom2			
7	Tom3			
8	Floor1			
9	Floor2			
10	OverHead Left			
11	OverHead Right			
BASS				
INPUT	Description	Mic / DI	Stand	INSERT
12	Bass DI	Direct Box		
13	Taurus Pedals DI	Direct Box		
14	Bass Keyboard DI	Direct Box		
Guitars				
INPUT	Description	Mic / DI	Stand	INSERT
15	Guitar Lead Amp Left	Mic		
█	█	█		
16	Guitar Rythm Amp Left	Mic		
█	█	█		
17	Guitar Rythm accoustic	Direct Box		
KEYBOARDS				
INPUT	Description	Mic / DI	Stand	INSERT
18	Keyboard Rig Left DI	Direct Box		
19	Keyboard Rig Right DI	Direct Box		
20	Keyboard (Singer) Left DI	Direct Box		
21	Keyboard (Singer) Right DI	Direct Box		
VOCALS				
INPUT	Description	Mic / DI	Stand	INSERT
22	Lead Vocals	Mic	Boom	
23	Bass Vocals	Mic	Boom	
24	Rythm Guitar Vocals	Mic	Boom	
25	Drums Vocals	Mic	Boom	
28	Flute ( Lead vocals center )	Mic Line only		

In Ear monitoring for Lead Singer, and Keyboardist ( for Keys and drums, just the line ( Stereo preferable)

# MYSTERY



unicorn  
d i g i t a l

**MYSTERY – Unicorn Digital Inc.**

c.o : Michel St-Pere

P.O.BOX 521

BP RIVE-NORD

Boisbriand, Quebec

CANADA, J7E 4J8

514-297-2246

[promotion@unicorndigital.net](mailto:promotion@unicorndigital.net)